



SYN-TRUE 2 Multi-Purpose Grease

Overview: Interlube's SYN-TRUE 2 Multi-Purpose Grease is a Lithium-thickened, synthetic grease designed for long service life and excellent component protection. The synthetic base oil is selected for a wide range of applications under normal to severe loads. As it has no active extreme pressure additives, it can be used in applications like electric motors and back-stop protected gear reducers. It has a wide range of operating temperatures and excellent mechanical stability. It is truly a multi-purpose grease for use in the most challenging of environments.

Operational Benefits: These products offer these competitive advantages to enhance your reliability:

- **Long service life** • **Wide temperature range** • **Excellent elastomer compatibility** • **Excellent extreme pressure / anti-wear protection** • **Multi-purpose performance**

Application:

- **Bearings** • **Gears** • **Slides** • **Automotive** • **Industrial "Sealed-for-Life" applications**

Typical Industries: This product is commonly used (but not exclusively) in the following industries:

- **General manufacturing** • **Packaging** • **Printing** • **Consumer goods** • **Automotive** • **Food manufacturing (below the line)**

SYN-TRUE 2 Multi-Purpose Grease

Technical Properties

Property	Specification	SYN-TRUE 2 Multi-Purpose Grease
Appearance	Visual	Smooth / White Paste
Base Oil		Synthetic (PAO)
Base Oil Viscosity cSt @ 40°C	ASTM D-445	110
Thickener Type		Lithium 12 Hydroxy-Stearate
NLGI Grade		#2
Worked Penetration (60 strokes @ 77°F)	ASTM D-217	270
Dropping Point	ASTM D-2265	225°C
Wear Protection (4-Ball), mm	ASTM D-2266	0.37
Extreme Pressure Protection (4-Ball), kgf	ASTM D-2596	200

*The values shown are typical of current production.
All of them may vary within tolerable ranges.*



Interlube Corporation
4646 Baker Avenue
Cincinnati, Ohio 45212-2594 USA
Tel: 513-531-1777 | Fax: 513-531-0193
SALES@INTERLUBECORPORATION.COM | WWW.INTERLUBECORPORATION.COM

08025